

View Creation

- [Overview](#)
 - [View Builders](#)
- [Single Table View](#)
- [Multiple Table View \(Drag and Drop Builder\)](#)
- [Freehand SQL View](#)
- [OLAP Cube View](#)
- [Stored Procedure](#)
- [Composite View](#)

Overview

[top](#)

Views within Yellowfin provide the link between users, their reports, and the database. The purpose of the view is to simplify the knowledge required by end users of the source database. This section describes some of the basic view management options available to you.

To explore a basic introduction to creating views, visit the [Creating a View](#) page.

View Builders

When building a view, you have several methods available to you, including;

- [Single Table View](#)
- [Multiple Table View](#)
- [Freehand SQL View](#)
- [OLAP Cube](#)
- [Stored Procedure](#)

Single Table View

[top](#)

This option allows you to automatically create a view based on a single table in the selected database. Yellowfin will automatically group metrics together, made up of numeric and date fields, and dimensions of text fields.

Ensure that the Single Table option is selected, and then choose a database table from the list. Two or more tables with the same name, will be differentiated by their schema name.

Create New View

Ski Team

Create View

Analyse

Select your view type

Create a view based on multiple tables, using the drag and drop builder, within your selected data source connection.

Single Table

Multiple Tables

Freehand SQL

Multiple Tables

In order to create a view based on multiple tables you will require the full View Builder functionality, which will navigate you away from this page.

Edit View

See [Model](#) for more information.

Freehand SQL View

[top](#)

The freehand SQL option allows you to write your own query to generate a view. From here Yellowfin will automatically create the view, grouping metrics and dimensions together, much the same as the [Single Table View](#).

Create New View

Ski Team

Create View

Analyse

Select your view type

Create a view based on the results of a custom defined SQL query run on your selected data source connection.

Single Table

Multiple Tables

Freehand SQL

select * from athletefact

Validate

✓ SQL is valid

View Name

Give your view a great name to help others find it


Athlete Fact Freehand SQL

View Description

Give your view a great description to help others find it

Create Analysis

From here you can proceed directly to the Report Builder.




Note: When writing an SQL view it is very important that you do not include an order by – since results are sorted by the Java application not the database. The order by will cause your view to fail.

OLAP Cube View

[top](#)

An OLAP cube is a pre-aggregated structure on your database. Like a data mart it already contains a set of dimensions and measures which have been pre-aggregated to support rapid reporting.

1. To create an OLAP cube view select an OLAP cube source from the Create New View window.
2. Choose the cube from a list of available cubes.



3. You can then proceed straight to the report building process.


Note: When creating an OLAP cube as a view you will have limited options for updating field information. This is because most of the metadata is already contained in the cube itself.

Stored Procedure


[top](#)

With Yellowfin you can connect to stored procedures running on your application database.

1. To connect to a stored procedure select the stored procedure options from the create view drop down list.
2. Select the Database and then the stored procedure you wish to connect to.



3. Click the **Edit View** button to continue to the stored procedure parameters page. Yellowfin will automatically detect parameters which exist in your stored procedure and display this list on the page.
4. You must fill in a value for each parameter. The value is only used to return column at this stage of the view builder. (The non-return fields will become automatic filters on the reports created from this stored procedure).
5. When you have completed the parameter section click accept to return the list of fields in the result set.



6. Complete the metadata as you would for a standard view. Note that the non-return parameters exist as filter fields.
7. Filters will be added into each report created from the stored procedure automatically. They will not be visible on the report data page but will be displayed on the report filter page.

Composite View

[top](#)

A composite view allows you to create a view which joins multiple data sources together. This allows users to create a report which includes data from these multiple databases.

The view builder for a composite view differs in that rather than displaying tables from a selected database it allows you to join existing Yellowfin views together and create virtual tables from any defined database.

**Note**

We strongly recommend the use of [Advanced Sub Queries](#) over Composite Views as the functionality is more flexible and robust.

**Limitations**

The Import & Export functionality is unavailable for composite view content.

[top](#)