


# Content Settings

- [Overview](#)
- [Report Settings](#)
- [Chart Settings](#)
- [Dashboard Settings](#)
- [Storyboard Settings](#)
- [Signals Settings](#)
- [Content Settings](#)

## Overview

### [Content Settings#top](#)

The Content Setting page allows administrators to configure a wide range of defaults and formatting settings for content. Navigate to Menu > Administration > Content Settings and change the settings that fall under the following tabs:



1. [Content Settings#Report Settings](#)
2. [Content Settings#Chart Settings](#)
3. [Content Settings#Dashboard Settings](#)
4. [Content Settings#Storyboard Settings](#)
5. [Signal Settings](#)
6. [Content Settings#Content Settings](#)

## Report Settings

### [Content Settings#top](#)

Report Settings

Let's make this easy.

You can configure report settings, including default styling, layout, and private vs. public settings.

Remember to save your changes before navigating away from Report settings.

?

Need help?

Visit the [Yellowfin forum](#) or [wiki](#) to find the answers you are looking for.

Styles

Layout

Private Reports

Public Reports

Builder Settings

Option	Description
<b>Report Title</b>	
Title	Define the font formatting to be applied to the Report Title.
Description	Define the font formatting to be applied to the Report Description.
Border	Define a border for the Report Title & Description if one is required.
Background	Define a custom background colour for the Report Title & Description area if required.
<b>Column &amp; Row Headings</b>	
Text	Define the font formatting to be applied to table Column and Row headings.

<b>Background</b>	Define the background colour to be applied to table Column and Row headings.
<b>Header Height</b>	Define the height of the table headers in pixels.
<b>Header Padding</b>	Define the space between the text in each header cell and the cell border in pixels.
<b><i>Cross Tab Metric Headings</i></b>	
<b>Text</b>	Define the font formatting to be applied to cross tab metric headings.
<b>Background</b>	Define the background colour to be applied to table cross tab metric headings.
<b>Header Height</b>	Define the height of the table headers in pixels.
<b>Header Padding</b>	Define the space between the text in each header cell and the cell border in pixels.
<b><i>Cross Tab Column Values</i></b>	
<b>Text</b>	Define the font formatting to be applied to cross tab column values.
<b>Background</b>	Define the background colour to be applied to table cross tab column values.
<b>Header Height</b>	Define the height of the table headers in pixels.
<b>Header Padding</b>	Define the space between the text in each header cell and the cell border in pixels.
<b><i>Cross Tab Row Values</i></b>	
<b>Text</b>	Define the font formatting to be applied to cross tab row values.
<b>Background</b>	Define the background colour to be applied to table cross tab row values.
<b>Header Height</b>	Define the height of the table headers in pixels.
<b>Header Padding</b>	Define the space between the text in each header cell and the cell border in pixels.
<b><i>Data</i></b>	
<b>Text</b>	Define the font formatting to be applied to table cells.
<b>Background</b>	Define a custom background color for the Report data area if required.
<b>Cell Height</b>	Define the height of the table rows in pixels.
<b>Cell Padding</b>	Define the space between the text in each cell and the cell border in pixels.
<b>Cell Spacing</b>	Define the space between each cell in pixels.
<b>Row Shading</b>	Define an alternate row shading colour for the body of tabular reports.
<b>Row Highlight</b>	Define a highlight colour displayed when the mouse pointer hovers over a row.
<b><i>Border</i></b>	
<b>Position</b>	Define where borders should be displayed around the edges of the cell.
<b>Color</b>	Define the color of the cell borders.
<b>Width</b>	Define the thickness of the cell borders.
<b><i>Section Title</i></b>	
<b>Text</b>	Define the font formatting to be applied to Report Section titles.
<b>Background</b>	Define a background colour for Report Section titles.
<b><i>Header &amp; Footer</i></b>	

Header	Define the contents of the left, middle, and right page header areas used in report exports. The following components are available: <ul style="list-style-type: none"><li>• <b>Date:</b> this will insert the current date into the header when the report is exported, printed, or shared.</li><li>• <b>Page No:</b> this will insert a page number on each page of the report when it's exported, printed, or shared.</li><li>• <b>Description:</b> this will insert the report description into the header when the report is exported, printed, or shared.</li><li>• <b>Title:</b> this will insert the report title into the header when the report is exported, printed, or shared.</li><li>• <b>Time:</b> this will insert the current time into the header when the report is exported, printed, or shared.</li><li>• <b>Space:</b> this will insert a space into the header, for use between two components, for example: date space time.</li><li>• <b>New Line:</b> this will insert a line break into the header, for use between components, for example: title new line description.</li><li>• <b>Text:</b> this will allow the administrator to provide custom text to be used in the header.</li><li>• <b>Image:</b> this will allow the administrator to select an image to use in the header, such as a logo.</li></ul>	
Footer	Define the contents of the left, middle, and right page footer areas used in report exports. The following components are available: <ul style="list-style-type: none"><li>• <b>Date:</b> this will insert the current date into the footer when the report is exported, printed, or shared.</li><li>• <b>Page No:</b> this will insert a page number on each page of the report when it's exported, printed, or shared.</li><li>• <b>Description:</b> this will insert the report description into the footer when the report is exported, printed, or shared.</li><li>• <b>Title:</b> this will insert the report title into the footer when the report is exported, printed, or shared.</li><li>• <b>Time:</b> this will insert the current time into the footer when the report is exported, printed, or shared.</li><li>• <b>Space:</b> this will insert a space into the footer, for use between two components, for example: date space time.</li><li>• <b>New Line:</b> this will insert a line break into the footer, for use between components, for example: title new line description.</li><li>• <b>Text:</b> this will allow the administrator to provide custom text to be used in the footer.</li><li>• <b>Image:</b> this will allow the administrator to select an image to use in the footer, such as a logo.</li></ul>	
Text	Define the font formatting to be applied to header and footer text used in report exports.	
Report Summary		
Text	Define the font formatting to be applied to Report Summary text.	
Default Chart Color	Specify the default chart color to be used in Report Summary charts.	
Option		Description
Filter Location		Select the default location for User Prompt filters to be displayed on the Report page.
Filter Width		Select the default length for User Prompt filter values display.
Drill Through Popup		Allow Drill Through reports to display in a lightbox if configured to use the 'Popup New Window' option.
Filter Breadcrumb Content		Select whether filter breadcrumbs should have a fixed width or be resized to fit their content.
Option	Description	
Allow Share	This will allow Private Report Writers to assign other users access to their report.	
Watermark	Select an image to use as a watermark on Private Reports. (Optional)	
Report Marker	Enter text to be used as a marker below the description for all Private Reports. (Optional)	
Option		Description
Watermark		Select an image to use as a watermark on Public Reports.
Approved Reports Watermark		Select an image to use as a watermark on reports that have been approved.
Watermark Display		Select whether watermarks should always be displayed on applicable reports, or only when such reports are exported.
Report Marker		Enter text to be used as a marker below the description for all Public Reports.
Option		Description
Report Data Preview		Define a live preview of the report table on the report data page as it is being built.
Chart Data Preview		Display a live preview of the chart on the chart builder.
Display Filter Values		Define if, by default, a legend of filter values applied to the report is displayed, and where.
Display Access Filter Values		Display access filter values in the filter legend on the report. The standard filter legend must be enabled to see these values.
Autorun Reports with Filters		Define if, by default, the default and remembered filter values are applied and the report is run on first load.

<b>Filter Run Delay</b>	Define how soon a filter should be applied once the value has been changed.
<b>Unique Report Names</b>	Specify if reports need to be saved with unique names in the system.
<b>Email long running reports</b>	Display the option to send long running reports as emails.
<b>Post long running reports on timeline</b>	Display the option to post long running reports on timeline once loaded.
<b>Approval Flag</b>	An icon is displayed in the top toolbar indicating the report's approval status. This is only displayed for activated reports that are saved into a content folder that requires approval.
<b>Approval Person</b>	The name and avatar of either the report creator or approver, based on approval status, will be displayed in the top toolbar.
Option	Description
<b>Canvas Fonts</b>	Define fonts to be available in the canvas editor. The value on the left should be the CSS Font Family name, and the value on the right should be the label you want to display in the canvas font selector.

## Chart Settings

### Content Settings#top

Chart Settings

Let's make this easy.

You can configure chart settings, including default styling, load behavior, and tooltip display.

Remember to save your changes before navigating away from Chart settings.

Need help?  
Visit the [Yellowfin community](#) or [wiki](#) to find the answers you are looking for.

Image Settings

Animated Loading

Active Charts

Color Defaults

Line Defaults

Fonts

Map Settings

Axis & Plot Defaults

Option	Description
<b>Chart Image Format</b>	Specify the image format for charts to be generated as. Options include PNG or JPG.
<b>Draggable Thumbnails</b>	Allow you to open a chart in a new window and drag the image into an open program or save it for later use.
Option	Description
<b>Animated Chart Loading</b>	Animate the chart as it loads.
<b>Display Animation</b>	Animate the chart multiple times per session - each time the chart is reloaded, filtered, or changed.
<b>Per Session</b>	Define the number of times charts animate within a session, this is animations across the system, not per chart.
Option	Description
<b>Active Chart Highlighting</b>	Allow users to hover over an area on a chart with the mouse to highlight it.
<b>Active Outline</b>	Define the colour to outline the current active area.
<b>Active Fill</b>	Define the colour to fill the current active area.

<b>Tooltip Outline</b>	Define the colour to be used to outline chart tooltips.
<b>Tooltip Background</b>	Define the background colour to be used for chart tooltips. Define two different colours to use a gradient.
<b>Tooltip Title</b>	Define the colour of the Title text in chart tooltips.
<b>Tooltip Text</b>	Define the font and colour of the descriptive text in chart tooltips.

Option	Description
<b>Default Style</b>	Use only one color per category or series by default.
<b>Colors</b>	Define grids of color to be applied to charts by default. The first grid is for solid colors, the second is used to perform gradient shading when enabled.
<b>Map Colors</b>	Define the default colors to be used for maps. The first part of the range is allocated to negative numbers, the middle to zero, the second part to positive values.
<b>Chart Background</b>	Define the default chart background colour. Leave blank to set as transparent.
<b>Plot Background</b>	Define the default plot background colour. Leave blank to set as transparent.
<b>Annotation Range Default</b>	Define the default color to be used for Annotation Range highlighting on charts.
<b>Bubble Shading Style</b>	The bubbles will consist of two colors shaded together to give a rounded effect.

Option	Description
<b>Width</b>	Define the default thickness of lines used in charts.
<b>Shapes</b>	Line Shapes mark each data point on line charts.

Option	Description
<b>Title</b>	Define the font formatting to be applied to Chart Title text.
<b>Axis Title</b>	Define the font formatting to be applied to Chart Axis Title text.
<b>Axis Label</b>	Define the font formatting to be applied to Chart Axis Label text.
<b>Legend</b>	Define the font formatting to be applied to Chart Legend text.
<b>Label</b>	Define the font formatting to be applied to Chart Label text.
<b>Series Selection</b>	Define the font to be applied to Chart Series Selection text.

Option	Description
<b>GIS Base Layer</b>	Specify whether or not to display a base layer underneath maps to provide location context by default.
<b>Google API Access</b>	Specify if Google Maps can be used. These require internet access to work.
<b>Google Maps Point Limit</b>	Specify the maximum number of single points to be displayed at any one time.
<b>Google GIS Label Background</b>	Define the colour to be used for Map Label backgrounds.
<b>Google GIS Label Border</b>	Define the colour to be used for GIS Maps Label borders.
<b>Google Maps API Key</b>	Provide the Google Maps API Key to be used to generate Google Maps.
<b>Google Maps Premium API Key</b>	Specify whether or not to interpret this API key as a premium ClientID.

Option	Description
<b>Show X Gridlines</b>	Display gridlines attached to the horizontal axis of the chart by default.
<b>X Gridline Color</b>	Define the color to display horizontal axis Gridlines by default.
<b>Show Y Gridlines</b>	Display gridlines attached to the vertical axis of the chart by default.
<b>Y Gridline Color</b>	Define the color to display vertical axis Gridlines by default.
<b>Horizontal Axis Color</b>	Define the color of the horizontal axis by default.
<b>Horizontal Axis Thickness</b>	Define the thickness of the horizontal axis by default.

<b>Vertical Axis Color</b>	Define the color of the vertical axis by default.
<b>Vertical Axis Thickness</b>	Define the thickness of the vertical axis by default.

## Dashboard Settings

### Content Settings#top

Dashboard Settings

Let's make this easy.

You can configure dashboard settings, including default tab and portlet styling, filter settings, and load behavior.

Remember to save your changes before navigating away from Dashboard settings.

Need help?

Visit the [Yellowfin community](#) or [wiki](#) to find the answers you are looking for.

Portlet Settings

Filter Settings

Display Settings

Loading Settings

Option	Description
<b>Title Background Image</b>	Hide the tab images behind the Title text of each portlet area. This will mean that the background colour is shown instead.
<b>Action Buttons</b>	Portlet buttons will only be displayed when the user hovers over a portlet.

Option	Description
<b>Filter Location</b>	Specify the default location of the filter panel on the Dashboard. This can be overridden on a tab by tab basis.
<b>Apply Style</b>	Specify the default display of the filter Apply button or text.
Option	Description
<b>Default Dashboard Width</b>	Define the default width of the dashboard in pixels or % of the current window.
<b>Alignment</b>	Specify the default alignment of the dashboard.
<b>Tab Buttons</b>	Specify the location of the dashboard tab buttons, or disable them completely. These are the Add Tab, Edit, and Remove buttons.
<b>My Content Location</b>	Specify the location of the My Content panel, or disable it completely. This contains Favourite, Draft, and Recently Accessed content lists.
<b>Associated Reports Location</b>	Specify the location of the Associated Reports panel, or disable it completely.
<b>Search Location</b>	Specify the location of the Search box on the Dashboard, or disable it completely. This allows users to perform a content search, displaying results on the Browse page.
<b>Lock Table Headings</b>	Specify if column and/or row heading should be locked when displayed on the dashboard.
Option	Description
<b>Page Refresh</b>	Each time the user changes the tab they are viewing, only the items relevant to the tab are reloaded, such as reports, filters, units, etc. This is only compatible with browsers that support HTML5.
<b>Dashboard Loading</b>	Display a coloured overlay on a tab to indicate that it's loading.

<b>Dashboard Report Loading</b>	<p>Display loading indicators when reports are viewed on a tab for the first time. Available options include:</p> <ul style="list-style-type: none"> <li>• "Loading Report" message</li> <li>• Coloured Overlay</li> <li>• Loading Animation</li> </ul>
<b>Dashboard Report Refresh</b>	<p>Display loading indicators when reports are refreshed on a tab. This includes loading due to filtering, brushing, drilling, and refresh schedules. Available options include:</p> <ul style="list-style-type: none"> <li>• "Loading Report" message</li> <li>• Coloured Overlay</li> <li>• Loading Animation</li> </ul>
<b>Report Loading</b>	<p>Define how to load reports on a tab. Options include:</p> <ul style="list-style-type: none"> <li>• Sequential: load the reports one by one.</li> <li>• Concurrent: load all the reports at the same time.</li> </ul>
<b>Schedule Page Refresh</b>	<p>Define if the entire dashboard page can be refreshed automatically, while this tab is being viewed.</p>
<b>Schedule Page Refresh Frequency</b>	<p>Define how often the entire Dashboard page is refreshed in minutes.</p>

## Storyboard Settings

[Content Settings#top](#)

Storyboard Settings

Let's make this easy.

You can configure storyboard loading settings.

Remember to save your changes before navigating away from Storyboard settings.

?

Need help?

Visit the [Yellowfin community](#) or [wiki](#) to find the answers you are looking for.

Loading Settings

Display Settings

Option	Description
<b>Slides Preloaded</b>	Define the number of slides to be preloaded either side of the current slide.
<b>Slides Loaded at Once</b>	Define the total number of slides to be loaded at any one time.
Option	Description
<b>Lock Table Headings</b>	Specify if table headings should be locked when displayed in a slide.

## Signals Settings

[Content Settings#top](#)

Signals

Let's make this easy.

You can configure Signal settings.

Remember to save your changes before navigating away from Signal settings.

?

Need help?

Visit the [Yellowfin community](#) or [wiki](#) to find the answers you are looking for.

Signal Cache Settings

Version History

Historical result sets can be stored for the contents of this folder, restricted by the following size and period settings.

Keep Historical ...

Max Size

Define the amount of storage available for caching content in this folder (in KB).

1,000

Max Versions

Define the number of historical result sets that will be accessible, per report.

20

Max Age

Define how long the historical result sets should be stored before they are deleted.

5

Year

Signal Narratives

These settings maintain the cache that stores reports created for Signal analysis.

Option	Description
<b>Version History</b>	<p>The version history allows you to store the data returned from a Signals analysis. Includes the following options:</p> <ul style="list-style-type: none"> <li><b>Current version only:</b> This option switches off the caching. This results in the data being fetched from the source when looking at a Signal, since it isn't being cached/stored.</li> <li><b>Keep historical versions:</b> This option will cache all previous data result sets from a Signal analysis. Note: It's important to remember that this option can quickly build up quite a large amount of data, so use this option sparingly.</li> </ul>
<b>Max Size</b>	The maximum size for Signal analysis data to be saved in cache or in the database where version history is required.
<b>Max Version</b>	This maximum versions of analysis report to save. This does not affect Signals as each Signal only has a single report.
<b>Max Age</b>	The maximum age a Signals report can be cached for. Reports older than this age will be deleted.

Option	Description
<b>Suppress Access Filters</b>	<p>This setting allows you to show or hide access filter values from being mentioned in Signal narratives. By default access filters will be referenced in a narrative, but you can choose to turn it off.</p> <p>Signal narratives also take formatted data values into account, for example, reference codes applied to data.</p>

## Content Settings

[Content Settings#top](#)

These settings relate to Yellowfin Stories and other content.



Story

Let's make this easy.

You can configure Story settings.

Remember to save your changes before navigating away from Story settings.

?

Need help?

Visit the [Yellowfin community](#) or [wiki](#) to find the answers you are looking for.

Content Settings

Overview Video

Display a video that gives an overview or tutorial with the option for it to be viewed in lightbox before the first story is created.

Video Link

Youtube or Vimeo URL for overview or tutorial video.

https://youtu.be/k\_GC1e2DtEM

These settings maintain the cache that stores reports created for Signal analysis.

Option	Description
Overview Video	Displays an overview or tutorial video before the first story is created.
Video Link	Link for the Story tutorial video.

[Content Settings#top](#)