Databricks

Follow the instructions below to connect Yellowfin to a Databricks database.

1. <u>Click on the yellow **Create** button and choose the data source option.</u>

Report			
Dashboard			
Dashbodiu			
Story			
Present			
View			
Data Source			
Transformation Flow			
Discussion			
lask			
- GON			
elect Databricks from the	databases list.		_
celect Databricks from the	databases list.	×]
elect Databricks from the dd a Data Source FEATURED	databases list. Please, select the kind of data source you w	× vant to add.	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift	databases list. Please, select the kind of data source you w	× vant to add.	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery	databases list. Please, select the kind of data source you w Q Search Composite Information Server	× vant to add. Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server	databases list. Please, select the kind of data source you w Q Search Composite Information Server Connection Cloud	x vant to add. Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL	databases list. Please, select the kind of data source you w C Search Composite Information Server Connection Cloud Data Booster	X vant to add. Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle	databases list. Please, select the kind of data source you w C Search Composite Information Server Connection Cloud Data Booster Databricks	X vant to add. Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL	databases list. Please, select the kind of data source you w Q Search Composite Information Server Connection Cloud Data Booster Databricks Embaracadero Interbase	X vant to add. Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake	databases list. databases list. Please, select the kind of data source you w Q Search Composite Information Server Connection Cloud Data Booster Databricks Embaracadero Interbase Exasol	X vant to add. Add Driver Add Driver Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake	databases list. Please, select the kind of data source you w Q Search Composite Information Server Connection Cloud Data Booster Databricks Embaracadero Interbase Exasol FileMaker Pro	X vant to add. Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake	databases list. databases list. Q Search Composite Information Server Connection Cloud Databricks Embaracadero Interbase Exasol FileMaker Pro Firebird	xant to add. Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake Cube JNDI	databases list. databases list. Please, select the kind of data source you w Q search Composite Information Server Connection Cloud Data Booster Databricks Embaracadero Interbase Exasol FileMaker Pro Firebird Generic JDBC Data Source	X vant to add. Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake Cube JNDI CSV	databases list. databases list. Q Search Composite Information Server Connection Cloud Databricks Embaracadero Interbase Exasol FileMaker Pro Firebird Generic JDBC Data Source Generic ODBC Data Source	xant to add. Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver	
elect Databricks from the dd a Data Source FEATURED Amazon Redshift Google BigQuery Microsoft SQL Server MySQL Oracle PostgreSQL Snowflake Cube JNDI CSV	databases list. databases list. Please, select the kind of data source you w Q Search Composite Information Server Connection Cloud Data Booster Databricks Embaracadero Interbase Exasol FileMaker Pro Firebird Generic JDBC Data Source Generic ODBC Data Source Goode BiaOuerv	X Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver Add Driver	

4. **Databricks** configuration fields:

-	Stanuaru Autrientication			
	Include Schema in SOL			
Authentication	Access Token		~	
Database Host				
Driver			~	
Database Port	443			
Default Schema	default			
HTTP Path				
	Use Custom Fetch Size			
JDBC Driver	Databricks JDBC Driver		~	
Password			Ø	
Select the Include Schem Next, select the Authentica ase you would need to provi User Name Password	a in SQL checkbox to add the schema r ation method, it is Access Token by defa ide them in the fields below.	name when addressir ult. You can also use	ng database tables Username and Pa	s in SQL queries. assword for authentic
Select the Include Schem Next, select the Authentica ase you would need to provi User Name Password Enter the name or IP addre Cluster Configuration screen i Select the Use Custom Fet xecuted, instead of fetching reases data factor	a in SQL checkbox to add the schema r ation method, it is Access Token by defa ide them in the fields below. unsername@example 	name when addressir ult. You can also use database, as well as d options. number of data rows ows in the newly app	ng database tables Username and Pa the HTTP Path - th to be retrieved fro earing Fetch Size	s in SQL queries. assword for authentic
Select the Include Schem Next, select the Authentica ase you would need to provi User Name Password Enter the name or IP addre Cluster Configuration screen i Select the Use Custom Fet xecuted, instead of fetching rocess data faster.	a in SQL checkbox to add the schema r ation method, it is Access Token by defa ide them in the fields below. unsername@example 	hame when addressir ult. You can also use database, as well as d options. number of data rows ows in the newly app	ng database tables Username and Pa the HTTP Path - the to be retrieved fro earing Fetch Size	s in SQL queries. assword for authentic hese details are provious on the database after field. This will allow Y
5. Select the Include Schem. 7. Next, select the Authentica case you would need to provi User Name Password 8. Enter the name or IP addre Cluster Configuration screen i 9. Select the Use Custom Fet executed, instead of fetching process data faster. Fetch Size	a in SQL checkbox to add the schema r tition method, it is Access Token by defa- ide them in the fields below. unsername@example 	name when addressir ult. You can also use database, as well as d options. number of data rows ows in the newly app	ng database tables Username and Pa Ithe HTTP Path - the to be retrieved fro earing Fetch Size	s in SQL queries. assword for authentic
 Select the Include Schem. Next, select the Authentica sase you would need to provi User Name Password Enter the name or IP addree luster Configuration screen Select the Use Custom Fet executed, instead of fetching process data faster. Fetch Size Yellowfin will automatically nstance. Enter the API access toker Toggle Advanced Settings Advanced 	a in SQL checkbox to add the schema r tition method, it is Access Token by defa- ide them in the fields below. unsername@example 	name when addressir ult. You can also use database, as well as d options. number of data rows ows in the newly app cks database based c	ng database tables Username and Pa the HTTP Path - the to be retrieved from earing Fetch Size on the version of the ecount.	s in SQL queries. assword for authentic
 Select the Include Schem. Next, select the Authentica sase you would need to provi User Name Password Enter the name or IP addree Cluster Configuration screen Select the Use Custom Fet executed, instead of fetching process data faster. Fetch Size Yellowfin will automatically nstance. Enter the API access toker Toggle Advanced Settings Advanced Once you have completed 	a in SQL checkbox to add the schema r tition method, it is Access Token by defa- ide them in the fields below. unsername@example 	name when addressir ult. You can also use database, as well as d options. number of data rows ows in the newly app cks database based c atabricks database ac	ng database tables Username and Pa the HTTP Path - the to be retrieved from earing Fetch Size on the version of the ecount.	s in SQL queries. assword for authentic

 \checkmark Test Connection

Cancel

← Back

d.	Save: This will a	allow you to save yo	our connection and navig	gate to the Success page:
----	-------------------	----------------------	--------------------------	---------------------------

Add a Data Source	×
✓ Data Source Saved	
You successfully made your data connection.	
	Close