

# Initial Use

- [Startup / Shutdown Procedure](#)
  - [Database](#)
  - [Tomcat Application Server](#)
    - [Windows Users](#)
    - [Mac / Linux Users](#)
- [Initial Login](#)
  - [Default User](#)
  - [Update Password](#)

## Startup / Shutdown Procedure

[top](#)

Yellowfin has two main functional components involved in the startup and shutdown procedures:

1. Database
  2. Application Server
- The sequence for **startup** is to startup the database and then startup the application server. The sequence for **shutdown** is to shutdown the application server and then shutdown the database.

### Database

The Database **must be started up** and brought up successfully **before** the Application Server is started. If the database is not ready to accept database connections and calls before the application server is started, the Yellowfin Application server will fail to start up.

In the case of an unsuccessful start up of the database **DO NOT** attempt to start up the application server. Instead, determine the cause of the database start up failure and resolve the problem before attempting to start up the application server.

If the application server starts up and fails as the result of an unsuccessful database start up, wait until the startup sequence completes. Once it has completed, shutdown the application server.

### Tomcat Application Server

After the database has been successfully started up, startup the application server.

#### Windows Users

<b>If Yellowfin has been installed as a service:</b>	The Yellowfin application server will be controlled by the Service Manager (ie. <i>Start &gt; Programs &gt; Administrative Tools &gt; Services</i> under Windows 2000).
<b>If Yellowfin has NOT been installed as a service:</b>	The Yellowfin application server can be started and stopped by selecting the <i>Start Yellowfin Server</i> and <i>Stop Yellowfin Server</i> icons respectively in the <i>Yellowfin</i> Program Group.

Yellowfin can also be started and stopped using the `startup.bat` and `shutdown.bat` files located in the `$INSTALL_DIRECTORY\appserver\bin` directory.

Once the Yellowfin server has been successfully started, check that the application is functioning correctly by selecting the *Yellowfin Home Page* in the *\_Yellowfin* Program Group.

#### Mac / Linux Users

Yellowfin can be started and stopped using the `startup.sh` and `shutdown.sh` files located in the `$INSTALL_DIRECTORY\appserver\bin` directory.

## Initial Login

[top](#)

When first logging in to Yellowfin it is suggested that you use the `admin@yellowfin.com.au` user. This user will permit you to undertake administration activities such as creating new source connections and views.

### Default User

When Yellowfin is installed the default user provided has the default administrator role.

User ID	Description
---------	-------------

admin@yellowfin.com.au	This user has full Administrative privileges. Any user with these authorities has the maximum capabilities with the system. It is recommended that very few users have access to this userid.
------------------------	---

**Note:** The initial password is test.

## Update Password

It is highly recommended that these default password of default users be changed as soon as the installation has completed successfully for security reasons.

[top](#)