

Data Profiling

- Overview
 - Run Analysis
- Histogram
- Chart
- Values
- Usage
- Suggestions

Overview

[top](#)



Data Profiling analyzes the data in your View, and determines what actions are available to optimize the efficiency of your View.



Ensure that you have the Data Profiling configuration setting enabled to use this functionality. Navigate to Administration > Admin Console > Data Source > Connection > Usage Parameters > Data Profiling.


Run Analysis

1. Click on the **Data Profiling** button
2. If you want to profile all the fields in the view, click **Start Profiling**, otherwise click the **Advanced** link.



3. Configure the advanced options and click **Start Profiling** to begin.

Options	Description
Rows to Profile	Specify how many rows of data to profile. More rows will give more relevant results, but will take longer to analyse.
Columns to Profile	Specify if you wish to run data profiling on all the fields in the view, or just select a single field from the list.
Analysis Types	Select which data analysis you wish to run on the selected field(s) for suggestions to be tested and included. Selecting none will still run the standard data profiling.



Histogram


[top](#)

A histogram, analysing the frequency of distinct values in the data, is displayed at the top of each profiled field.



Chart

[top](#)



Values

[top](#)

Sample Size:	1,000
Distinct Values:	682
Empty Values:	0
Min value:	9,026
Avg value:	10,404
Max value:	12,230
Median value:	10,111
Standard deviation:	990
Outliers:	0

Statistic	Description
Sample Size	Displays a count of the records within the field.
Distinct Values	Displays a count of the distinct values within the field.
Empty/NULL Values	Displays a count of the number of empty values within the field.
Numeric Fields	
Median	Displays the number separating the higher half of the sample from the lower half.
Average	Displays the mean value.
Standard Deviation	Displays the measure of the dispersion of a set of values.
Minimum	Displays the lowest value.
Maximum	Displays the highest value.
Date/Time Fields	
Minimum	Displays the earliest date.
Maximum	Displays the latest date.

Usage

[top](#)

Reports ▲	Last Modified ▲	Usage ▲
Athlete Demographic Breakdown	29/3/2016	<div></div>
Athlete Figures by Location	29/3/2016	
Booking Process Donut	29/3/2016	<div></div>
Broken Bones	29/3/2016	<div></div>
Camp Region GIS Map	29/3/2016	<div></div>
Camp Revenue Detail Report	29/3/2016	
Camp Revenue Detail Report	29/3/2016	
Cancelled Bookings	29/3/2016	<div></div>
Customer Age & Location Breakdown	29/3/2016	<div></div>
Female Demographic	29/3/2016	<div></div>
Male Demographic	29/3/2016	<div></div>
Profitability by Customer Age & Location Breakdown	29/3/2016	<div></div>

Section	Description
Reports	Displays a list of reports that make use of the selected field.
Last Modified	Displays the last modified date of each listed report.
Usage	Displays the usage rate of each listed report.

Suggestions

[top](#)

Depending on the type of field being profiled, Yellowfin may make suggestions as to functions that could be applied to it based on the outcomes of the analysis.

Suggested Actions (1)

Create Grouped Column

Create a new Grouped Value column based on this field.

Suggestion	Description
Reference Code Check	The values in the field will be analysed and compared to existing ref codes. It may then be suggested that a ref code be applied, updated, or created.
Null Check	The values in the field will be analysed and it may be suggested that null values be replaced or filtered out.
Number Uniqueness	The values in the field will be analysed and it may be suggested that the fields be grouped.
Date Uniqueness	The values in the field will be analysed and it may be suggested that the field be used as part of a date hierarchy.
Geography Check	The values in the field will be analysed and it may be suggested that the field be linked to a GeoPack.

Date Hierarchy

The values in the field will be analysed and it may be suggested that the field be linked in a drill down date hierarchy.

[top](#)