

Reference Codes

Overview

Numeric and Text based data displayed in a report can be translated from values held in the database to more meaningful values by adding a reference code to a report field. This mapping is called Reference Codes. The Ref Code Manager page allows administrators to edit existing Reference Codes created through the [Model](#).

Reference Code Use

This type of mapping should be used if:

1. You wish to translate a value held in the data source into business terminology. For example if male and female are stored as M and F you may want to translate these into 'Male' and 'Female'
2. If you wish to apply customized sorting to a field. For example: data returned in a query is usually displayed in Alpha / Numeric sort order. If your result set included: Admin Staff, Managers and Executive Management your report may look like this:

Admin Staff	500
Executive Management	10
Management	50


Hierarchically your data may actually need to be displayed in the following way:

Executive Management	10
Management	50
Admin Staff	500

This can be achieved by creating reference codes for the values and assigning a sort order to those codes.

Reference Code Manager

Navigate to **Administration > Admin Console > Reference Codes** to access a list of available Ref Codes.



From here, simply click on the reference code you wish to update to open it in the manager. The sections below cover the various tab on that page.

Details

The first tab shows the Code name, and some configuration features that users can set.

Custom Sort:

Custom sorting is enabled for this Reference Code. You can assign the sort order for each value on the Values tab.

Custom Colors:

Custom colors are enabled for this Reference Code. You can assign colors for each value on the Values tab, which can then be used for charts and filters.

Custom Images:

Custom images are enabled for this Reference Code. You can assign images for each value on the Values tab, which can then be used for filters.

Trim Values

Values for this Reference Code will not have leading and trailing whitespace trimmed when matching to report values.

Delete

- Custom Sort:** this allows you to apply a sort order other than alphabetical. For example, you could sort months chronologically by setting January = 1, February = 2, etc.
- Custom Colours:** this allows you to assign colours to the various values of the field. These colours can be used in charts and filters to ensure that values are easily identified and consistent across reports.
- Custom Images:** this allows you to assign images to the various values of the field. These images can be used with In List filters in order to aid the user in selecting values. The image will be displayed next to the value in the list.
- Trim Values:** this allows leading and trailing whitespace to be removed from the values of the field.
- Delete:** this allows you to delete the reference code. This will reset the formatting on fields that are using this reference code.

Values

Here is where you define the values for the Code and any other options enabled in Details (above).

- Code:** this is the value found in the database that will be replaced with the description value.
- Description:** this is the value that will be displayed in the report/filter rather than the code.
- Sort #:** this is the order, the value will appear when sorted.
- Colour:** this is the colour applied to the value, displayed in charts and filters (when selected).
- Image:** this is the image displayed next to the value in filters (when enabled).

Code	Description	Sort	Color	Image
Adventure	Adventure	1		
Relaxati...	Relaxation	2		
Family	Family	3		
Culture	Culture	4		
Luxury	Luxury	5		
Sport	Sport	6		
Remove All				

Here you can also add additional codes that you may not have included when originally defining the Org Ref Code. Simply enter the values required and click the plus (+) button (as depicted below) or import them via a CSV file.

Add new values:

School

School Campus

7

Translation

If you have a multi-language deployment of Yellowfin, you can choose a language you want the reference code translated into. (If you can't see this tab, then your system does not have a multi-language set up.)

Details
Values
Translation
Refresh
Usage

This is a multi-language installation. Add descriptions for the Reference Codes for different languages below.

Language: Japanese

Name: 人口統計

The translated values can also be edited.

Code	Default	Translation	Sort
Adventure	Adventure	冒険	1
Culture	Culture	文化	2
Family	Family	家族	3
Luxury	Luxury	贅沢な	4
Relaxation	Relaxation	リラクゼーション	5
Sport	Sport	スポーツ	6

Refresh

Allows you to set up how to update the code values. Provides you with three options:

- **Manually:** allows you to manually enter each value, or import from a CSV file.
- **Scheduled Sync:** allows you to periodically sync values from a specific data source. You can schedule how often to perform this sync. Note that with this option, you're only limited to one field and may require manual updating.

Follow these steps to set up a schedule to sync values from a data source.

1. Choose the Schedule Sync method for updating values.
2. Enable the Replace existing values toggle to replace the values with new ones. If this toggle is disabled then new values will be added, without removing or updating the existing ones.

Replace existing values?

New values will be added to this Reference Code. Existing values will not be modified or removed.

3. Specify the data source, view and field from where to fetch the values.

Select the source, view and field.

Reference Code values will be synchronized with the values in this field.

Data Source: Ski Team

View: Ski Team

Field: Demographic

- Set up a schedule for how frequently the values should be updated automatically. For example, you can schedule the system update the field weekly.


Schedule:


Weekly	▼	Monday	▼
Australia	▼	Sydney (+10:0...	▼
12 am	▼	:00	▼

- You can also specify an admin user who should be notified when values are updated.


Admin Notification

Select an administrator user to be notified whenever new values are added to this Reference Code.

**System Administrator**
admin@yellowfin.com.au



- Click Save to perform the update.
- Note that with this option, you're only limited to one field; in this case the code and description will be the same. You will then need to manually update the description in the [Values](#) tab.

 You could also run this update task through the Schedule Manager.


- Scheduled Query:** allows you to periodically update values using an SQL query. This is the easiest way to populate the field, but requires SQL knowledge.

Here's what to do if you've chosen to add values to the reference code field using an SQL query.

- Choose the Schedule Query method for updating values.
- Enable the Replace existing values toggle to replace the values with new one. If this toggle is disabled then new values will be added, without removing or updating the existing ones.

Replace existing values?

New values will be added to this Reference Code. Existing values will not be modified or removed.




- Select data source from where to import values.
- Provide the SQL query.

Your query should return 3 columns: **Code**, **Description**, and **Sort Order**.

Data Source: ▼

Query:

[Query Help](#)

 Note that the columns should be specified in the exact order in your query, e.g. code, language (if you have a multi-language system), description, and sort order. (The names of the column need not be exact.)

5. You can use Query Help for assistance in writing your query.

Query Help

Your query should return 3 columns:

Code
The code, for a matching value in the database, being added or updated.

Description
The description that will be applied to the value being added or updated.

Sort Order
The sort order that will be applied to the value being added or updated.

Here is an example of the result set that your query should return:

Code	Description	Sort Order
ADVENTURE	Adventure	1
CULTURE	Culture	2
FAMILY	Family	3
LUXURY	Luxury	4
RELAXATION	Relaxation	5
SPORT	Sport	6

6. Click the Test Query button at the bottom to validate your query. If the query is valid, a success message will appear with an example of its result. (The button will also change to Save.)

Query:
[Query Help](#)

```
select demographic_code, language,
demographic_description, sort from ref_code_testing
```

✓ Query Successful

demographic_code	language	demographic_description	sort
LUX	EN	Luxury	1
SP	EN	Sport	1
ADD	EN	Adventure	1
New	EN	New Thing	1

7. Set up a schedule for how frequently the values should be updated automatically. For example, you can schedule the system to update values weekly.

Schedule:

Weekly

▼

Monday

▼

Australia

▼

Sydney (+10:0...

▼

12 am

▼


:00


▼

8. You can also specify an admin user who should be notified when values are updated.

Admin Notification

Select an administrator user to be notified whenever new values are added to this Reference Code.

 System Administrator
admin@yellowfin.com.au



9. Click Save to perform the update. (In case of the query method, this can only be done if your query is valid.)



You could also run this update task through the Schedule Manager.

Usage

This tab shows the current View usage of the code. This is ideal if you want to delete a code, but want to check where it is being used.

[blocked URL](#)

Create Reference Code

How to create a new reference code:

1. Click the Add button under the list of Reference Codes on the admin console page.

[blocked URL](#)

2. Establish the configuration settings of the code. See the [Details](#) tab explanation on which features to enable.
3. Click on the [Values](#) tab to add values to your reference code field. You can manually supply the values or click on Populate from CSV to import values from a file.

[blocked URL](#)

4. You can also set up a schedule to update reference code values periodically, by clicking on the Refresh tab. To learn more about this, refer to our updating section [here](#).
5. Click Save.