

Filter Formatting


- [Overview](#)
- [General Filter Formatting Settings](#)
- [Filter Settings by Type](#)
 - [Date filter settings](#)
 - [Dimension filter settings](#)
 - [Metric filter settings](#)

Overview

The Filter Formatting button contains a number of options to customize your filters. This gives you full control over restrictive each filter is, whether they're dependent on other filters, and how they should be displayed for user interaction.



When you click on the Filter Formatting button, the general settings will be displayed. These can be updated at any time.



General Filter Formatting Settings

[Filter Formatting#top](#)

The general formatting options for report filters are split three sections — Format, Actions and Filter Refresh. Note that Filter Refresh is only displayed when at least one filter in the list on the left is set to be a cached filter.

Filters

General Settings

Filter Display & Actions

Filters

- Year
- Demographic
- Average(Age at Camp)

Filter Formatting ×

Format

Actions

Filter Refresh

Option	Description
Filter Display	Select where visible filters should appear on the Report page — Top, Left, or Left Side Nav.
Apply Link Location	Select where the Apply button or Apply link should appear. This is positioned within the Filter Display (described above), and clicking on it triggers the results of the filter values selected by the user.
Apply Style	Choose whether the Apply trigger is shown as a button or as a link.
Filter Width	Select the length for User Prompt filter values display, allowing you to accommodate longer values.
Display Filter Values	Select whether you'd like users to see a legend of filter values applied to the report.
Option	Description
Autorun Report on Load	Choose whether or not to run the report on first load. You might use this option for daily reports so that they display the most up-to-date data upon loading.
Remember Filter Values	Choose whether or not to remember previously applied filter values for this report for when it is next loaded. For example, a daily report might include a dynamic date of 'yesterday' in its filters. However, if the daily report contains a filter with a date to be manually selected, you might opt out of using this feature for that report.
Drill Filters	<p>Choose whether the filter panel and filter breadcrumbs of the child report will appear after a drill through takes place. This only needs to be set on the parent report. There are three options:</p> <ul style="list-style-type: none"> • Open: The filter panel is maximized, displaying the filter list, and the applied filter breadcrumbs appear at the top of the child report. • Closed: The filter panel is minimized, with the option to open the panel to display the filter list. Applied filter breadcrumbs still appear at the top of the child report. • Hidden: The filter panel is minimized, with the option to open the panel, but the filter list remains hidden. Applied filter breadcrumbs are not displayed. <p>Regardless of which option you choose, a breadcrumb list of applied filters is always displayed at the top of a report, which cannot be manipulated.</p>
Minimize Filter Section	Choose whether to show or minimize the display of filters upon the first load of the report.

Filter Date Reference	Choose how the report should apply filter date periods — either relative to the current date, or relative to the date when the view was last updated.
------------------------------	---

Option	Description
Refresh	Choose whether users can manually refresh cached filter values, or set them to automatically refresh on a schedule.
Refresh Now	When the Refresh toggle is set to Manual, the Refresh Now link will be displayed so you can manually refresh cached filter values at any time from this dialog box.
Schedule	When the Refresh toggle is set to Scheduled, additional scheduling options will appear for full control over how often scheduling should occur and when it should start. The schedule will apply to all cached filters on this report.



When refreshing cached filters in a multi-tenancy set up, be aware of the following:

- If this is initiated from the default organization or through a scheduled task, the filters in all the organizations will be refreshed.
- If this is initiated from a specific client organization, only the filters of that organization will be refreshed.

Filter Settings by Type

The Filter Formatting panel for each type of filter is split into two sections — Display and Entry style. The Display section provides the bounding box settings, such as a label description, and whether the filter is mandatory. The Entry style section includes options to change the appearance of filters and what values they display. This latter section varies the most between filter types, so we've included screen shots of that section for each filter type, below.

[Filter Formatting#top](#)

Date filter settings

The screen below shows the Entry style options for date filters. See the tables below for descriptions of both the Display section and the Entry style section.

Filters

General Settings

Filter Display & Actions

Filters

Invoiced Date

Agency Region

Sum Invoiced Amount

Filter Formatting

Display

Entry style

Value Entry Method

The user will select values for the filter from a pre-defined list.

Manual User Entry

Value List Selection

Value List Setup

Create a list of values by caching the current contents of the field in the database.

Pre-defined Periods

Cached Values

Cached Values On Demand

Custom Query

Custom Query Cached On Demand

List Display Type

Define how the user will select values for this filter.

Drop Down

Popup

Pre-filter by Aggregated Metrics

Cache the filter values, including any aggregated metric filters that may be applied to the report. This will ensure the HAVING clause is applied during the caching process.

987 values cached.

Refresh Now

Sort

Sort the list of values in ascending order.

Ascending

Descending

Default Value

Select the value(s) to be selected when the report is first loaded.

-- Omit --

-- Omit --

Option	Description
Description	Define the title of the filter.
Filter Requirement	<p>There are two available options:</p> <ul style="list-style-type: none"> Allow Omit allows the user to leave this filter blank. Mandatory forces the user to provide a value for this filter in order to run the report.
Filter Hierarchy	<p>Create a hierarchy of filters (eg, filter by year, then by quarter, then by month). To use this option, the parent filter must be set to a selection field (this can be done in the Entry Style section of this dialog box, where Value Entry Method should be set to Value List Selection).</p> <p>Click on the Specify Parent Filter link to display the Set Parent dialog box, where you can select the parent filter. You can also set two display options:</p> <ul style="list-style-type: none"> Dependent Values displays only the values related to one parent (eg, only display Jan, Feb, Mar when the parent filter for quarter is set to Q1). Dependent Display hides the current filter from the user until the parent filter value has been selected (eg, display the month filter only when a quarter has been selected).
Remember User Selection	Remember values applied to this filter for future use.

Option	Description
Value Entry Method	<p>Define the way the user should provide values for the filter. There are two available options:</p> <ul style="list-style-type: none"> • Manual User Entry allows the user to either type in dates into the entry fields, or use the calendar picker. • Value List Selection allows you to cache values or provide a list of pre-defined date ranges for the user to select from.
Allow Prompt	<p>This option is only available for the Manual User Entry option and allows users to prompt the database for a list of values to select from at the time of viewing the report.</p>
Display All Filter Values	<p>This option is displayed if the Allow Prompt option above is enabled.</p> <p>By default (when this option is not active), your user prompt filters will only display the values available based on any selections already made. Say, For example, you had two user prompt filters — one for Date Range and one for Camp Country. If you select a date range of one month in one year, the filter value list display for Camp Country would be limited to only those countries that hosted a camp during that month of that year. Enabling this option would ignore the date range and display all values for Camp Country.</p> <ul style="list-style-type: none"> • Toggled off (default): Display a restricted list of value prompts for this filter that automatically updates according to any other filter value selections already made. • Toggled on: Display the full, unrestricted list of value prompts for this filter, regardless of other filter value selections already made.
Value List Setup	<p>Define which method of providing a list of values you will use. There are three options:</p> <ul style="list-style-type: none"> • Pre-defined Periods: Use a list of pre-defined date ranges for the user to select from. See Date Filter Periods for more information. • Cached Values: Create a list of values by caching the current contents of the field in the database (and remember to check the Filter Refresh section of the General Settings to set the cache refreshing options). • Cached values On Demand: Create a list of values by loading the contents of the field each time the report is loaded. • Custom Query: Create a list of values by caching the current contents of the field in the database using a custom SQL query (and remember to check the Filter Refresh section of the General Settings to set the cache refreshing options). • Custom Query Cached On Demand: Create a list of values by caching the current contents of the field using the custom SQL query each time the report is loaded.
List Display Type	<p>Choose if cached values should be displayed in a dropdown or a popup.</p>
Pre-filter by Aggregated Metrics	<p>This setting filters the cached values with the result of any filtered metric fields in the report, provided the metric field filter is not user prompted.</p> <p>For example, you can use this setting to further filter the unique values of this field to be cached, by adding an age (metric) field with a defined filter of greater than 50. The values cached for this dimension field will only include unique content where the age field is > 50.</p>
Sort	<p>Define the sort order for the list of values as ascending or descending.</p>
Use Min /Max Values	<p>Choose whether to hide or display the minimum value and the maximum value for this filter.</p>
Default Value	<p>(Optional). Define the default value(s) to be used for the filter when the report is initially loaded.</p>

If the Value List Setup option is set to **Custom Query** or **Custom Query Cached on Demand**, the following options will become available. Use this to write a custom SQL query.

Data Source:
Default

Your query should return a single column containing the options to be displayed for this filter.

Test Query

Dimension filter settings

When using a dimension as a filter, dimension-specific options are available in the Display and Entry style sections. These options let you define various settings, such as filter caching, custom descriptions and list length (if using an In List operator). Some of these options therefore differ from the ones available when using a metric or a date. See the tables below for descriptions of both the Display section and the Entry style section.

Filters

General Settings

Filter Display & Actions

Filters

Invoiced Date

Agency Region

Sum Invoiced Amount

Filter Formatting

Display

Entry style

Value Entry Method

The user will select values for the filter from a pre-defined list.

Manual User Entry

Value List Selection

Value List Setup

Create a list of values by caching the current contents of the field in the database.

Cached Values

Cached Values On Demand

Custom Query

Custom Query Cached On Demand

List Display Type

Define how the user will select values for this filter.

Checkboxes

List

Popup

Pre-filter by Aggregated Metrics

Cache the filter values, including any aggregated metric filters that may be applied to the report. This will ensure the HAVING clause is applied during the caching process.

4 values cached.

Refresh Now

Sort

Sort the list of values in ascending order.

Ascending

Descending

Use Min/Max Values

Hide Minimum/Maximum in the list of values for this filter.

Default Value

Select the value(s) to be selected when the report is first loaded.

Asia

Australia

Europe

North America

Dynamic Filter Values

Automatically selects the first value when default value is not available to user

Option	Description
Description	Define the title of the filter.
Filter Requirement	<div>There are two available options:</div> <ul style="list-style-type: none">• Allow Omit allows the user to leave this filter blank.• Mandatory forces the user to provide a value for this filter in order to run the report.

Filter Hierarchy	<p>Create a hierarchy of filters (eg, filter by region, then by country). To use this option, the parent filter must be set to a selection field (this can be done in the Entry Style section of this dialog box, where Value Entry Method should be set to Value List Selection).</p> <p>Click on the Specify Parent Filter link to display the Set Parent dialog box, where you can select the parent filter. You can also set two display options:</p> <ul style="list-style-type: none"> • Dependent Values displays only the values related to one parent (eg, only display European countries when the parent filter for region is set to Europe). • Dependent Display hides the current filter from the user until the parent filter value has been selected (eg, display the country filter only when a region has been selected).
Remember User Selection	Remember values applied to this filter for future use.
List Size	Define the number of values displayed in the list before scrolling is required.
Option	Description
Value Entry Method	<p>Define the way the user should provide values for the filter. There are two available options:</p> <ul style="list-style-type: none"> • Manual User Entry allows the user to type in values the entry fields. • Value List Selection provides a list of pre-defined dimension values for the user to select from.
Allow Prompt	<p>This option is only available for the Manual User Entry option and allows users to prompt the database for a list of values to select from at the time of viewing the report.</p> <p>Note: we recommend that you disable the user prompt option if your data set has too many variables, as it may take some time for the values to be returned.</p>
Display All Filter Values	<p>This option is displayed if the Allow Prompt option above is enabled.</p> <p>By default (when this option is not active), your user prompt filters will only display the values available based on any selections already made. Say, For example, you had two user prompt filters — one for Date Range and one for Camp Country. If you select a date range of one month in one year, the filter value list display for Camp Country would be limited to only those countries that hosted a camp during that month of that year. Enabling this option would ignore the date range and display all values for Camp Country.</p> <ul style="list-style-type: none"> • Toggled off (default): Display a restricted list of value prompts for this filter that automatically updates according to any other filter value selections already made. • Toggled on: Display the full, unrestricted list of value prompts for this filter, regardless of other filter value selections already made.
CSV Entry	This option is only displayed when Manual User Entry is set as the entry method. It allows users to manually provide a list of comma-separated values for the filter.
Value List Setup	<p>Define which method of providing a list of values you will use. There are three options:</p> <ul style="list-style-type: none"> • Reference Codes: Create a list of values for the user to select from based on the Org Ref Code applied to the filter. See Reference Code Use for more information. • Cached Values: Create a list of values by caching the current contents of the field in the database (and remember to check the Filter Refresh section of the General Settings to set the cache refreshing options). • Cached Values On Demand: Create a list of values by loading the contents of the field each time the report is loaded. • Custom Query: Create a list of values by caching the current contents of the field in the database using a custom SQL query (and remember to check the Filter Refresh section of the General Settings to set the cache refreshing options). • Custom Query Cached On Demand: Create a list of values by caching the current contents of the field using the custom SQL query each time the report is loaded.
List Display Type	Choose if cached values should be displayed in a list, checkboxes, or a popup.
Pre-filter by Aggregated Metrics	<p>This setting filters the cached values with the result of any filtered metric fields in the report, provided the metric field filter is not user prompted.</p> <p>For example, you can use this setting to further filter the unique values of this field to be cached, by adding an age (metric) field with a defined filter of greater than 50. The values cached for this dimension field will only include unique content where the age field is > 50.</p>
Sort	Define the sort order for the list of values as ascending or descending.
Use Min /Max Values	Choose whether to hide or display the minimum value and the maximum value for this filter.
Default Value	Define the default value(s) to be used for the filter when the report is initially loaded. (Optional).

Filter Requirement	<p>There are two available options:</p> <ul style="list-style-type: none"> • Allow Omit allows the user to leave this filter blank. • Mandatory forces the user to provide a value for this filter in order to run the report.
Filter Hierarchy	<p>Create a hierarchy of filters (eg, filter by country, then by invoiced amount). To use this option, the parent filter must be set to a selection field (this can be done in the Entry Style section of this dialog box, where Value Entry Method should be set to Value List Selection).</p> <p>Click on the Specify Parent Filter link to display the Set Parent dialog box, where you can select the parent filter. You can also set two display options:</p> <ul style="list-style-type: none"> • Dependent Values displays only the values related to one parent (in our example of filtering by country then invoiced amount, this field would not be required). • Dependent Display hides the current filter from the user until the parent filter value has been selected (eg, display the invoiced amount filter only when a country has been selected).
Remember User Selection	Remember values applied to this filter for future use.
Option	Description
Value Entry Method	<p>Define the way the user should provide values for the filter. There are three options:</p> <ul style="list-style-type: none"> • Manual User Entry allows the user to type in the metric values. • Slider allows the user to select values using a numeric slider. • Range allows the user to provide a low and a high value.
Value List Setup	<p>Define which method of providing a list of values you will use. There are two options:</p> <ul style="list-style-type: none"> • Manual: The user will manually type values for this filter. • Custom Query: Create a list of values by caching the current contents of the field in the database using a custom SQL query.
Min	If Value Entry Method is set to Slider or Range, use this field to set the minimum value the user can select for this filter.
Interval	If Value Entry Method is set to Range, use this field to set the increments to display between the Min and Max fields
Max	If Value Entry Method is set to Slider or Range, use this field to define the maximum value the user can select for this value.
Default Value	(Optional.) Define the default value(s) to be used for the filter when the report is initially loaded.

If the Value List Setup option is set to **Custom Query** the following options will become available.

Data Source:
Default

Your query must return a single row with two columns, containing the minimum and maximum values.

Test Query