

# Yellowfin Directory Structure

- [General Structure](#)
- [The ROOT Directory](#)
- [Log file location](#)

## General Structure

Once you have installed Yellowfin on your system, an application/program folder will be created for the instance. This page discusses the main files and folders that will be present within that folder.

[blocked URL](#)

Directory Path or File	Content Description
<b>appserver</b>	This folder contains Apache Tomcat Java application server binaries, scripts and configuration files.
<i>appserver&gt;bin</i>	Yellowfin/Tomcat startup and shutdown scripts.
<i>appserver&gt;conf</i>	Tomcat configuration files including server.xml.
<i>appserver&gt;logs</i>	Yellowfin and Tomcat log files.
<i>appserver&gt;webapps&gt;ROOT</i>	Yellowfin web application server binaries, scripts and configuration files.
<b>data</b>	Default Yellowfin Configuration database properties and script files.
<b>development</b>	Yellowfin development libraries, documentation and sample code.
<i>development&gt;doc&gt;webservices&gt;javadoc</i>	Documentation for Yellowfin web services.
<b>doc</b>	Empty folder.
<b>legal</b>	This folder contains Yellowfin and third-party license agreements and notes.
<b>tutorialdata</b>	Ski Team tutorial database files.
<b>Uninstaller</b>	A program to uninstall Yellowfin from your system.
<b>yellowfin.war</b>	Yellowfin web application archive used by Apache Tomcat Java application server.
<b>YellowfinInstallLog-YYYYMMDD.log</b>	A log file created by the Yellowfin installer.

## The ROOT Directory

The ROOT folder within appserver>webapps also contains some of the web application's main scripts and files.

[blocked URL](#)

Directory Path or File	Content Description
ROOT>customcss	Place custom css files in this directory. Any files in this directory with a .css extension will be included in all pages.
ROOT>customimages	Place custom image files in this directory. Any files in this directory will override files in the images directory with the same name.
ROOT>js>chartingLibraries	Additional JavaScript chart libraries can be placed here.
ROOT>WEB-INF>custom-functions.xml	Custom SQL functions can be added to this file.
ROOT>WEB-INF>lib	Additional JDBC drivers can be placed here.
ROOT>WEB-INF>log4j.properties	Yellowfin log level can be set in this file.

ROOT>WEB-INF>web.xml	Main Yellowfin web application configuration file.
----------------------	--

## Log file location

For detailed information on the location and content of log files, see the [Logs and Logging](#) page.