

Broadcast

- [Overview](#)
- [Before starting](#)
- [Broadcasting a report \(or a dashboard\)](#)
 - [Choosing the broadcast type](#)
 - [Adding recipients](#)
 - [Useful information about recipients](#)
 - [Customizing your title with filters \(for report broadcasts\)](#)
 - [Useful information about filter tags](#)
 - [Adding content](#)
 - [Applying filters \(for report broadcasts\)](#)
 - [Source Filters](#)
 - [Defining delivery rules \(for report broadcasts\)](#)
 - [Creating a schedule](#)
 - [Submitting the broadcast](#)

Overview

Broadcasting allows you to send a report or dashboard to one or more users via email, based on a defined schedule and set of rules. A personal broadcast works the same way, except it can only be sent to the person who defined the broadcast.

Dashboards can be broadcast as a link or as a PDF attachment.

Reports can be broadcast as HTML, CSV, DOCX, PDF, TXT, XLSX or as a link to the report, depending on the content within.




If the PDF option is not available in the list or you experience any pagination issues, check that JavaFX is installed and that Yellowfin is configured correctly. More info on our [Community page](#).

[top](#)


Before starting

The option to broadcast must be enabled for a user's role before they can use this feature.


1. In the Admin console, find the user role that requires broadcast access
2. If the user role requires the ability to broadcast reports, check the checkbox for **Broadcast Reports** under the **Report Menu** section



Once this box is checked, the Broadcast button will appear in the Report menu along the top of a report



3. If the user role requires the ability to broadcast dashboards, find and check the checkbox for **Broadcast Dashboards** — under the **Dashboard** section



4. Once this box is checked, the Broadcast button will appear in the top right corner of a published dashboard, where users can create broadcasts of dashboards using the same steps as they would for reports



- ✓ When broadcasting or sharing reports with tabbed co-display content, first export the report into an XLSX file, then schedule the broadcast. You need not use the exported file, but simply create a copy.
- ✓ Administrators must configure the sender's email address for content scheduled for broadcasts. This is done via the [Email settings](#) on the Configuration page.


[top](#)

Broadcasting a report (or a dashboard)

The following steps show how to broadcast a report. A dashboard uses the same process, but the Broadcast button is located further right on your screen.

Choosing the broadcast type

1. Ensure your report or dashboard is active (not in draft mode)
2. Click the **Broadcast** button in the main navigation menu (or for broadcasting a dashboard, look further right)



3. Click **Create New** and select the **Broadcast** option(to send to many) or the **Personal Broadcast** option (to send to yourself)

Broadcast

This report has no broadcast schedules

Create New

Broadcast

Smart Task

Personal Broadcast

FTP Schedule

The **Broadcast** window will be displayed, with a number of options, described below

Broadcast: Camp Country Performance Flags

Recipients

Email Subject

Email Body

CSV

W

TXT

X

User Prompt Filters

What filter values would you like to use for the broadcast?

Current Filter Values

Continuous Schedule

The report will always be delivered based on the selected schedule.

Continuous

Alert

Frequency:

Weekly

Saturday

Day:

GMT

GMT (+0:00)

12 am

:00

Submit


Adding recipients

A broadcast email can only be sent if recipients have been defined. One or more recipients can be selected for a broadcast. Note that this step is **not** available for **personal broadcasts**.

Recipients can include individuals and groups, as shown in the table below.

User	A person that is a registered user of Yellowfin.
Group	A group of users that have been setup within Yellowfin. This option allows you to send a report to multiple users at once.
Email Address	You can insert an external email address so that the report can be sent to external users. Ensure that it is a valid email address. Note that this function depends on your licence options.
Report	You can select a report that already contains email addresses for broadcasting. The email addresses don't have to belong to Yellowfin users. To fully customize the list of recipients, you can perform further filtering by clicking on the Advanced  button and adding a report there instead. Here, other columns in this report can be linked to the main report as filters, resulting in a uniquely filtered report sent to each email address. Note that the column that contains the email addresses in a report must be formatted as 'Email' to be displayed in the list. To do this: - Select the column in the Columns format menu. - Open the Display menu for the column. - Set the Format option to be Email.

1. Click in the **Recipients** field



The screenshot shows a dropdown menu for selecting recipients. The menu is titled "Administrators" and contains a list of users with their names and email addresses. The users listed are Binish Sheikh (binish.sheikh@yellowfin.bi), Binish Sheikh (binish@yellowfin.bi), and System Administrator (admin@yellowfin.com.au). Below the list, there are filter options: All, People Only, Groups Only, and Reports Only.

2. Scroll through Yellowfin users, groups, and reports or type text into the field to filter the list. If you have a multicast licence, you may also type an external email address.

3. Click on each intended recipient to add them to your recipients list

Useful information about recipients

- Broadcast reports are run for each of the multiple recipients separately, taking into account their access filters, languages or other factors. However, to conserve memory usage and system performance, you can configure it so that each recipient's report is delivered as soon as it's generated (instead of waiting for all the recipients' reports to get done before sending them together). See the configuration for this [here](#).
- For multiple recipients that have access to the same data, you can set up a 'carbon copy' configuration. This allows a single email to be generated and sent to the first user, with the remaining recipients being sent a carbon copy. Note that all recipients will be visible to one another. See the configuration for this [here](#).

[top](#)

Customizing your title with filters (for report broadcasts)

If you're using Yellowfin 9.6 or later, you can customize your title based on filter values. This might be useful if you send hundreds of emails from a single broadcast job that contains specific filter values. Rather than all of them having the same title, you can use filter tags to help identify different broadcast content.

For example, if you send a country-specific report weekly without a filtered title, the title would be the same for all reports (eg, "Weekly sales report for your country"). If you send that report with a filter tag for country, the title would be different for each country (eg, "Weekly sales report for United States", "Weekly sales report for Germany" and so on). This can reduce administration effort, making it easier to locate a sent email from a long list of emails if the titles are not all the same. From the recipient's perspective, they benefit from a more descriptive title.

Choose between two types of filter tags, depending on your needs. The table below provides some scenarios and examples.

and remember, you must have at least one filter value set for a filter for it to display any values.

Filter	[filter]	[filterDetail]
Filter format	[filter:<filter title>]	filterDetail:<filter title>]
Filter example	[filter:Camp Region]	filterDetail:Camp Region]
Filter result if there is no filter for Camp Region		Camp Region In List
Filter result if there is a single filter value (Australia) set for Camp Region	Australia	Camp Region In List Australia
Filter result if there are multiple filter values set for Camp Region	Australia, Europe, Asia	Camp Region In list Australia, Europe, Asia
Example of filter when used with title text	Weekly sales report for Australia	Weekly sales report for Camp Region In List Australia

Useful information about filter tags

- Filter tags are intended for broadcast titles. They won't work in the body of a broadcast email.
- Filter tags work for broadcasts of reports/charts only. It does not work for dashboards or any other content with filters.
- When you select "Current Filter Values" for your broadcast, it will use whatever is set at the time of saving the broadcast: updating the user prompt filter values before the broadcast is sent won't update the values used for that broadcast.
- If the tag isn't displaying anything, check that you have a filter value set for the filter you're using in the tag.

[top](#)

Adding content

1. Enter text to appear as the subject line
2. Enter text you wish to use for the body of the email

Invoice update

Please see attached for the latest regional invoice information.



3. Select the format for the report or dashboard by clicking on the icon
4. If you choose a file format, the **Append Broadcast Date** checkbox will appear. Select it to include the current date in the document name
5. When broadcasting a PDF file, a Secure PDF checkbox will appear
Use this to password-protect your PDF files. You can specify a password yourself, use the one created when exporting the file, or use a default

one generated by Yellowfin. Learn more about this [here](#).

Append Broadcast Date ☐

Secure PDF ☒

CSV

W

TXT

X

PDF password source:

Set up a password for this broadcast.

PDF Password:

[top](#)

Applying filters (for report broadcasts)

If you're broadcasting a report and it contains filters, you can select which of these are applied to the broadcast.

The options include:

- Current Filter Values
- Default Filter Values
- Bookmarks

User Prompt Filters

What filter values would you like to use for the broadcast?

Current Filter Values

Current Filter Values

Default Filter Values

-- Bookmarks --

Male Youth 2015-6

Female Youth - 2015-6

Source Filters

If your report uses Source Filters, the broadcast will also be filtered by the Source Filter, as well as whatever filters were defined above. If the report has been sent to an external email address rather than a defined Yellowfin user, the recipient will inherit the Source Filter from the user who defined the broadcast.

For a user to Broadcast a Source Filter report to recipients not defined in the source filter, they will require the following role permission to be enabled.



Multicast Access Filter Reports



[top](#)

Defining delivery rules (for report broadcasts)

A delivery rule is used for exception reporting. If you would like to send a report based on a certain criteria (for example, if revenue is less than \$100,000), you use this feature to configure the rules of your broadcast.

Broadcast delivery rules must be based upon either of the following **Alert Data** options:

Option	Description
One or more rows must match	Select this option to build your rule based on a single parameter. For example, the broadcast will be delivered only if there is a transaction less than \$1000.
Aggregate against entire result set	Select this option to build your rule based on an aggregated result set. For example, the broadcast will be delivered only if total sales are less than \$100,000.
Applied to latest date	Check the checkbox to apply the delivery rule to the most recent date in your report, excluding all other dates. Uncheck to include all dates in your report for the delivery rule. This feature is optional, and only appears when a date field is added to your report.

To create a delivery rule, follow the steps below.

1. In the **Alert-based broadcast** section, click on the radio button for **Alert**
2. Click on the **Add Alert Delivery Rules** link

Alert-based broadcast

The report will be delivered based on the selected schedule, if the results match the alert rules.

Continuous  ☐

Alert  ☒

[Add Alert Delivery Rules](#)

The **Delivery Rules** dialog box will be displayed

Delivery Rules

Alert Data

One or more rows must match ☒

Aggregate against entire result set ☐

☐ Applied to latest date

Delivery Rule

-- Select Field --

+ Add Field

Submit

3. Click the **One or more rows must match** radio button to select this option as the basis for your delivery rule
4. Check the **Applied to latest date** checkbox
This box only appears when a date field is added to your report

5. Using the dropdown, select the field on which to apply the condition, then click **Add Field** to save that condition
You can add multiple conditions here if required

Delivery Rules

Alert Data

One or more rows must match ☒
Aggregate against entire result set ☐

☒ Applied to latest date

Year

Delivery Rule

Year

Equal to

Current Date + 5 Days

Year

+ Add Field

If rows with the latest date in this report

Year Equal to Current Date + 5 Days

then send

Submit

6. Click on the **Submit** button to apply your delivery rule or rules

7. Your rule or rules will now be displayed on the **Broadcast** dialog box

Broadcast: Sales Forecast

Recipients

Email Subject

Email Body



Alert-based broadcast

The report will be delivered based on the selected schedule, if the results match the alert rules.

Year Equal to Current Date + 5 Days

Continuous

Alert

[Edit Alert Delivery Rules](#)

Frequency:

This will run **every week**, on **Saturday**.

Weekly

Saturday

Australia

Sydney (+11:00)

12 am

:00

Submit

[top](#)

Creating a schedule

The last step is to define the schedule for your broadcast.

The send frequency is highly flexible. For example, monthly reports can be based on a certain day of the month, like this:

Frequency:

Monthly

Each

Day: 15

Or a certain day of a certain week within the month, like this:

Frequency:

Monthly

On

First

Monday

 Select 'Once' as the frequency to send out the broadcast as soon as possible.

1. In the **Frequency** section, use the dropdowns to define when your broadcast should be sent. Depending on the option selected here, you may be required to provide further details. For example, if *Fortnightly* is selected, you will be prompted to select either the first or second week of the fortnight to send in, as well as the day of the week.

Frequency:

Weekly

Saturday

Day:

GMT

GMT (+0:00)

12 am

:00

Limit Schedule Period ☐

Failure Notification ☒

Administrators x

This will run **every week**, on **Saturday**. [Less ↑](#)

2. Check the timezone is set correctly, and use the dropdowns to make any changes to zone, hour and minute.
3. Toggle the **Limit Schedule Period** option to activate or deactivate a limited time period.
4. Toggle the **Failure Notification** option to activate or deactivate any failure notifications. When active you can select any users to receive the notification.

[top](#)

Submitting the broadcast

1. Click on the **Submit** button to finalize the broadcast setup
2. You will now see your broadcast listed (the image below shows how it will look when expanded)

Broadcast

 Invoice update



System Administrator
22 Sep 2020

4 Recipients




Runs weekly (Saturday).
Next Scheduled: 26/9/2020

Sent 0 times in the last 90 days.

Jul

Aug

Sep

Subscribe

Edit

Delete

Create New

