

# Deploy to Docker without Swarm

## Overview

This type of deployment is typically used for proof of concept only, since it doesn't provide production-necessary tools, such as failover and horizontal scaling.

Choose your preferred deployment from the table below, then follow the instructions.

Deployment	Image	Description
Yellowfin sandbox	All-In-One	A self-contained instance of Yellowfin. This is the simplest type of deployment. All content will be lost when the container is destroyed.
Yellowfin single instance	App-Only	A single instance with a separate database, so data stored in the database will not be lost when the container is destroyed.
Yellowfin multiple discrete instances	App-Only	Multiple instances each with their own dedicated database. This could be used to stage a development environment and a production environment during a proof of concept.
Yellowfin cluster	App-Only	Multiple instances sharing a single database to form a Yellowfin cluster. This could be used to stage a clustered environment during a proof of concept.

[top](#)

---

## Section navigation

### Current topic - Install in a Container

The page is part of the [Install in a Container](#) topic contains the following pages, split by Docker and Kubernetes:

#### [Deploy to Docker without Swarm](#)

- [Deploy to Docker without Swarm](#)
  - [Sandbox Instance with All-In-One Image](#)
  - [Single Instance with App-Only Image](#)
  - [Multiple Discrete Instances with App-Only Image](#)
  - [A Cluster with App-Only Image](#)
- [Deploy to Docker with Swarm](#)
  - [Sandbox instance with All-In-One Image - Swarm](#)
  - [Single Instance with App-Only Image - Swarm](#)
  - [Multiple Discrete Instances with App-Only Image - Swarm](#)
  - [A Cluster with App-Only Image - Swarm](#)

#### [Kubernetes](#)

- [Deploy to Kubernetes without load balancing](#)
  - [Sandbox Instance with All-In-One Image - no Load Balancer](#)
  - [Multiple Discrete Instances with App-Only Image - no Load Balancer](#)
- [Deploy to Kubernetes with Load Balancing](#)
  - [Single Instance with App-Only Image and Load Balancer](#)
  - [A Cluster with App-Only Image and Load Balancer](#)

This page is part of the [Install And Deploy Yellowfin](#) section of the wiki, which has these topics:

## Install on Premises

[Deploy to Docker without Swarm](#)

- [Installation Steps](#)

## Install in the Cloud

[Install in the Cloud](#)

- [Yellowfin for AWS](#)
- [Yellowfin for Azure](#)
- [Yellowfin for Google Cloud Platform](#)

## Install in a container

[Install in a Container](#)

- [Docker](#)
- [Kubernetes](#)
- [Upgrading Yellowfin Container Deployment](#)

## Deploy Yellowfin

[Deploy Yellowfin](#)

- [Logs and Logging](#)
- [Yellowfin Directory Structure](#)
- [User Welcome](#)

## Advanced Deployments

[Advanced Deployments](#)

- [Clustering Guide](#)
- [Yellowfin Server Specification](#)
- [Automate Yellowfin Deployment on Linux](#)
- [SAML Bridge](#)
- [Standalone Configuration Tools](#)

[top](#)

---