Main Theme

- Overview
- General
- Title Slide
- Table of Contents Associated Content
- Text Format
 - Title Slide
 - Section Title Slide
 Content Slide
 Quote

 - Image Slide
- Page Layout
 - ° Title Slide
 - Section Title Slide
 - Content Slide
 Associated Content
 - Quote Slide
 - Image Slide

Overview

top

Settings \times	
Cancel Save	
Automatic Save: Off	
Main Theme	
General	
Title Slide	
Table of Contents	
Associated Content	
Text Format Title Slide Section Title Slide Content Slide Quote Slide Image Slide 	
Page Layout Title Slide Section Title Slide Content Slide Associated Content Quote Slide Image Slide	

The Main Theme section of the Theme Builder allows you to define everything outside of the colours defined in Sections. This includes all settings for the Title, Table of Contents, Associated Content slides, as well as all formatting for the Section Title, Content, Quote, and Image slides.

The colours for Sections are applied in the Section Theme area.

General

top The settings applied here affect the entire theme and provide means to help identify the theme when selecting it in the Storyboard builder.

General			\times
Title Ski Tean Description Snow M Thumbnail Ski Team B	n Iountain	Theme Image Man	ager
SLIDE BOR Colour Width Style	DER	O ▼px Solid	V
REPORT Show Title Yes Show Desc Yes	ription		
GENERAL I Title and So same width	ubtitle	No	▼ ve
ltem	Value		Description

Item	Value	Description
Title	Text	This is used to provide a name for your theme, used when selecting a theme for the Storyboard.
Description	Text	This is used to provide a description for your theme which may include its intended use, etc.
Thumbnail	Image	Upload or select an image to use when viewing the theme list or selecting a theme in the Storyboard Builder.
Slide Border		
Colour	Hex Code	This is used to specify the colour of the border around your slides. By default it is blank.
Width	0,1,2,3,4,5.	This is used to specify the width of the border around your slides. By default it is 0.

Style	Solid, Dashed, Double, Groove, Ridge, Inset, Outset.		o specify the sty ow were create						٦
		Solid	Dashed	Double	Groove	Ridge	Inset	Outset	
Report									
Show Title	Yes/No	This allows yo	ou to turn off the	e title of the rep	ort when displa	ayed on a slide	9.		
Show Description	Yes/No	This allows yo	ou to turn off the	e description of	the report whe	n displayed or	n a slide.		
General Layout									
Title and Subtitle same width	Yes/No		ou to ensure the me size as the l					the smaller of the	two boxe

Title Slide

top The settings applied to the Title Slide are defined outside of the Sections area as it does not belong to any section. You should apply and colours and Images required here.

Title		\times
Backgrou	und Imag	le
Ski Team	n Blu 🗙	Image Manager
Backgrou	und Colo	ur 🖊
TITLE		
Title Colo	our	
Backgrou	und	
Opacity		%
SUBTITL	E	
Subtitle (Colour	
Backgrou	und	
Opacity		%
		Refresh
ltem	Value	Description

Backgroun d Image	Image	This allows you to upload or select an image to use for the background of the Title Slide.
Backgroun d Colour	Hex Code	This allows you to provide a colour to be used as the background of the Title Slide, used when the Background Image is not selected.
Title		
Title Colour	Hex Code	Provide a colour to use for the Title Text on the Title Slide.
Background	Hex Code	Provide a colour to use as the background for the Title Text panel on the Title Slide.
Opacity	%	Set the opacity of the background colour for the Title Text panel on the Title Slide. This is used when a Background Colour has been selected, the higher the % the stronger the colour will appear.
Subtitle		
Subtitle Colour	Hex Code	Provide a colour to use for the Subtitle Text on the Title Slide.
Background	Hex Code	Provide a colour to use as the background for the Subtitle Text panel on the Title Slide.
Opacity	%	Set the opacity of the background colour for the Subtitle Text panel on the Title Slide. This is used when a Background Colour has been selected, the higher the % the stronger the colour will appear.

Table of Contents

top

Table of Content	ts)
Background Image Image Manager	
Background Colour	Ζ
Text Background Colour	Ζ
Opacity	%
Vertical Rule	Ζ
Horizontal Rule	
TITLE	
Size	26 рх
Font	Source Sans 🔻

Font Weight Style Font Colour

26	рх
Source	e Sans
300	
B I	U
Ζ	

SECTION TITLE

Size 18 px Font Source Sans T Font Weight 300 Style **B 1 U** Font Colour

SLIDES

Size	12
Font	Source
Font Weight	300
Style	B I
Font Colour	\mathbf{Z}

12	рх
Source	e Sans 🔻
300	
B I	U
Ζ	


Refresh

ltem	Value	Description
Backgro und Image	Image	This allows you to upload or select an image to use for the background of the Table of Contents slide. Generally it's recommended that this image is relatively plain, as there can be a large amount of text displayed on this slide, depending on how many slides and sections you build into your Storyboards.
Backgro und Colour	Hex Code	Select a colour to be used as the background of the Table of Contents slide, used when no Background Image is selected.
Text Backgro und Colour	Hex Code	Provide a colour for use as a background to the Table of Contents text (minus the title).
Opacity	%	Set the opacity of the background colour for the Table of Contents text. This is used when a Background Colour has been selected, the higher the % the stronger the colour will appear.
Vertical Rule	Hex Code	This is the colour used for the vertical line situated below the Section circles on the Table of Contents slide.
Horizont al Rule	Hex Code	This is the colour used for the horizontal line situated at the end of each Section on the Table of Contents slide.
Title		This is the heading of the Table of Contents slide, often 'Table of Contents' or 'Contents'.
Size	рх	Provide the size (in pixels) of the font to be used in the Title of the slide.
Font	Font	Provide the font to be used in the Title of the slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underli ne	Select any style options to be applied to the Title of the slide.
Font Colour	Hex Code	Provide the colour to be used for the text in the Title of the slide.
Section	Title	This is the Title of each Section, displayed next to the coloured Circles.
Size	рх	Provide the size (in pixels) of the font to be used for the Section Titles.
Font	Font	Provide the font to be used for the Section Titles.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underli ne	Select any style options to be applied to the Section Titles.
Font Colour	Hex Code	Provide the colour to be used for the Section Titles.
Slides		This is the name of each Slide, displayed next to the bullet points under each Section Title.
Side	рх	Provide the size (in pixels) of the font to be used in for the main text.
Font	Font	Provide the font to be used for the main text.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underli ne	Select any style options to be applied to the main text.
Font	Hex	Provide the colour to be used for the main text.

Associated Content

top Associated Content slides are styled outside of sections as they are meant to be supporting information, separate from the main section content. Generally we suggest making these slides plainer, with a different colour to any section used.

These slides do not contain the standard Title and Subtitle elements used on other slides, their Title is only used in the link displayed on the main slide, not on the Associated Content slide itself. Think of them as stripped down content slides.



Refresh

ltem	Value	Description
Background Image	Image	Select a background image to be used for Associated Content slides, across all Sections.
Background Colour	Hex Code	Select a colour to be used as the background of these slides, used when no Background Image is selected.
Table/Chart Background Colour	Hex Code	Select a colour to be used for the background of any Tables or Charts added to an Associated Content slide.

Opacity	%	Set the opacity of the background colour used for Tables or Charts. This is used when a Background Colour has been selected, the higher the % the stronger the colour will appear.
Text Background Colour	Hex Code	Select a colour to be used for the background of any text placed on an Associated Content slide.
Opacity	%	Set the opacity of the background colour used for the text placed on an Associated Content slide. This is used when a Background Colour has been selected, the higher the % the stronger the colour will appear.
Text Colour	Hex Code	Use this to apply a colour to any text that is displayed on an Associated Content slide and styled as Text.
H1 Colour	Hex Code	Use this to apply a colour to any text that is displayed on an Associated Content slide and styled as Heading 1 .
H2 Colour	Hex Code	Use this to apply a colour to any text that is displayed on an Associated Content slide and styled as Heading 2 .
H3 Colour	Hex Code	Use this to apply a colour to any text that is displayed on an Associated Content slide and styled as Heading 3 .
Report Title		
Colour	Hex Code	Set a colour to be applied to the Title of any Reports added to an Associated Content slide. This is only used if Report Titles are set to display in the Theme's General settings.
Report Descripti	ion	
Colour	Hex Code	Set a colour to be applied to the Description of any Reports added to an Associated Content slide. This is only used if Report Descriptions are set to display in the Theme's General settings.

Text Format

top You may notice that the text formatting options do not contain any colour settings, only font options. This is because colours should either belong to a Section (for Content, Quote, or Image slides) or to a specific slide type styled outside of Sections (Title, Table of Contents, and Associated Content).

Title Slide

Text Format: Tit	le Slide $ imes$
SLIDE TITLE	
Size	65 px
Font	Source Sans 🔻
Font Weight	300
Style	B I <u>U</u>
SLIDE SUBTITLE	
Size	34 px
Font	Source Sans 🔻
Font Weight	300
Style	B I <u>U</u>
	Refresh

ltem	Value	Description
Slide Title		
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Title.

Font	Font	Provide the font to be used for the Slide Title.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Title.
Slide Su	ıbtitle	
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Subtitle.
Font	Font	Provide the font to be used for the Slide Subtitle.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Subtitle.

Section Title Slide

Text Format: Section				
SLIDE TITLE				
Size	64 px			
Font	Source Sans 🔻			
Font Weight	300			
Style	B I <u>U</u>			
SLIDE SUBTITLE				
Size	32 px			
Font	Source Sans ▼			
Font Weight	300			

Style	I	B I U
		Refresh
Item	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Size	рх	Provide the size (in pixels) of the font to be used for the Title text on each Section's Title Slide.
Font	Font	Provide the font to be used for the Title text on each Section's Title Slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Title text on each Section's Title Slide.
Slide Subtitl	e	
Size	рх	Provide the size (in pixels) of the font to be used for the Subtitle text on each Section's Title Slide.
Font	Font	Provide the font to be used for the Subtitle text on each Section's Title Slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.

Style

Select any style options to be applied to the Subtitle text on each Section's Title Slide.

Content Slide

Bold, Italic, Underline

ontent Slide $ imes$
45 px
Source Sans ▼
300
В <u>I</u> <u>U</u>
22 рх
Source Sans 🔻
300
В <u>I</u> <u>U</u>
27 рх
Source Sans 🔻
300
В <u>I</u> <u>U</u>
35 px
Source Sans 🔻
300
В <u>I</u> <u>U</u>
35 рх
Source Sans 🔻
300
В <u>I</u> <u>U</u>
28 рх
Source Sans 🔻
300
В <u>I</u> <u>U</u>

ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Title.
Font	Font	Provide the font to be used for the Slide Title.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Title.
Slide Subtit	le	
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Subtitle.
Font	Font	Provide the font to be used for the Slide Subtitle.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Subtitle.
Text		
Size	рх	Provide the size (in pixels) of the font to be used for any text styled as Text on the slide.
Font	Font	Provide the font to be used for any text styled as Text on the slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to content styled as Text .
H1		
Size	рх	Provide the size (in pixels) of the font to be used for any text styled as Heading 1 on the slide.
Font	Font	Provide the font to be used for any text styled as Heading 1 on the slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to content styled as Heading 1 .
H2		
Size	рх	Provide the size (in pixels) of the font to be used for any text styled as Heading 2 on the slide.
Font	Font	Provide the font to be used for any text styled as Heading 2 on the slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to content styled as Heading 2 .
НЗ		
Size	рх	Provide the size (in pixels) of the font to be used for any text styled as Heading 3 on the slide.
Font	Font	Provide the font to be used for any text styled as Heading 3 on the slide.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to content styled as Heading 3 .

Report Title)	
Size	рх	Provide the size (in pixels) of the font to be used for the Title of a Report added to the Slide. This is only used if Report Titles are set to display in the Theme's General settings.
Font	Font	Provide the font to be used for the Title of a Report added to the Slide. This is only used if Report Titles are set to display in the Theme's General settings.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Report Des	cription	
Size	рх	Provide the size (in pixels) of the font to be used for the Description of a Report added to the Slide. This is only used if Report Descriptions are set to display in the Theme's General settings.
Font	Font	Provide the font to be used for the Description of a Report added to the Slide. This is only used if Report Descriptions are set to display in the Theme's General settings.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.

Quote

Text Format: Qu	iote Slide $ imes$
QUOTE	
Size	45 px
Font	Source Sans 🔻
Font Weight	300
Style	B I <u>U</u>
ATTRIBUTE	
Size	25 рх
Font	Source Sans 🔻
Font Weight	300
Style	B 🚺 <u>U</u>
	Refresh

ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Quote		
Size	рх	Provide the size (in pixels) of the font to be used for the Quote text.
Font	Font	Provide the font to be used for the Quote text.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Quote text.
Attribute		
Size	рх	Provide the size (in pixels) of the font to be used for the Quote Attribute text.
Font	Font	Provide the font to be used for the Quote Attribute text.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.

Style	Bold, Italic, Underline	Select any style options to be applied to the Quote Attribute text.
	0	

Image Slide

Text Format: Im	age Slide $ imes$
SLIDE TITLE	
Size	35 px
Font	Source Sans 🔻
Font Weight	300
Style	B I <u>U</u>
SLIDE SUBTITLE	
Size	20 px
Font	Source Sans 🔻
Font Weight	300
Style	B I <u>U</u>
	Refresh

ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Title.
Font	Font	Provide the font to be used for the Slide Title.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Title.
Slide Subtitl	e	
Size	рх	Provide the size (in pixels) of the font to be used for the Slide Subtitle.
Font	Font	Provide the font to be used for the Slide Subtitle.
Font Weight	Weight	Provide the thickness of the characters to be used: 100, 200, 300, 400, 500, 600, 700, 800, or 900, where 400 is normal and 700 is bold.
Style	Bold, Italic, Underline	Select any style options to be applied to the Slide Subtitle.

Page Layout

top

Title Slide

Page Layout: Title Slide

SLIDE TITLE		
Padding X		рх
Padding Y		рх
Height		рх
Minimum Width		рх
Тор		рх
Bottom	130	рх
Left	320	рх
Right	50	рх
Text Alignment	Left	۲

SLIDE SUBTITLE

Padding X		рх
Padding Y		рх
Height		рх
Minimum Width		рх
Тор		рх
Bottom	80	рх
Left	320	рх
Right	50	рх
Text Alignment	Left	•

ltem	Value	Description
Slide Tit	le	
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Title. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimu m Width	рх	Provide the minimum width (in pixels) for the Title. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Title area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Title area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Title area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Title area ends (in pixels) from the right of the slide.

Text Alignme nt	Left, Right, Centre	Select the desired alignment for the Title text. Note: in order to set the text alignment you must specify a Minimum Width.
Slide Su	ubtitle	
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Subtitle. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimu m Width	рх	Provide the minimum width (in pixels) for the Subtitle. This defines the area allocated to the text, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Subtitle area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Subtitle area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Subtitle area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Subtitle area ends (in pixels) from the right of the slide.
Text Alignme nt	Left, Right, Centre	Select the desired alignment for the Subtitle text. Note: in order to set the text alignment you must specify a Minimum Width.

Section Title Slide

Page Layout: Section			
Select Section Prev	iew:		
None			
SLIDE TITLE			
Padding X	рх		
Padding Y	рх		
Height	рх		
Minimum Width	рх		
Тор	рх		
Bottom	130 px		
Left	320 рх		
Right	рх		
Text Alignment	Left 🔹		
SLIDE SUBTITLE			
Padding X	рх		
Padding Y	рх		
Height	рх		
Minimum Width	рх		
Тор	рх		
Bottom	80 px		
Left	320 рх		
Right	рх		

Text Alig	Inment	Left •
ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Title. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Title. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.

Тор	рх	Define the position the Title area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Title area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Title area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Title area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Title text. Note: in order to set the text alignment you must specify a Minimum Width.
Slide Subt	itle	
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Subtitle. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Subtitle. This defines the area allocated to the text, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Subtitle area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Subtitle area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Subtitle area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Subtitle area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Subtitle text. Note: in order to set the text alignment you must specify a Minimum Width.

Content Slide

Page Layout: Content Slide $>$		
Select Section Preview:		
None	٣	
SLIDE TITLE		
Padding X	20 px	
Padding Y	20 px	
Height	108 px	
Minimum Width	рх	
Тор	рх	
Bottom	рх	
Left	рх	
Right	рх	
Text Alignment	Left 🔻	
SLIDE SUBTITLE		
Padding X	px	
Padding Y	рх	
Height	рх	
Minimum Width	рх	
Тор	80 px	
Bottom	рх	
Left	20 рх	
Right	20 рх	
Text Alignment	Left 🔻	
TEXT BOX		
The padding inside Padding X		
-		
Padding Y	0 px	

ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.

Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Title. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Title. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Title area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Title area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Title area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Title area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Title text. Note: in order to set the text alignment you must specify a Minimum Width.
Slide Subtitle	e	
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Subtitle. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Subtitle. This defines the area allocated to the text, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Subtitle area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Subtitle area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Subtitle area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Subtitle area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Subtitle text. Note: in order to set the text alignment you must specify a Minimum Width.
Text Box		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Text Box. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Text Box. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Content		
Padding between content	рх	Provide the size (in pixels) of the padding between two pieces of content.
Offset Top	рх	Define the position the Content area starts (in pixels) from the top of the slide.
Margin Right	рх	Define the position the Content area ends (in pixels) from the right of the slide.
Margin Left	рх	Define the position the Content area starts (in pixels) from the left of the slide.

Associated Content

Page Layout: Associated	\times
Select Section Preview:	
None	۳
TEXT BOX	

The padding inside the text box.

Padding X	рх
Padding Y	рх

CONTENT

Padding between content		px
Offset Top	50	рх
Offset Bottom		рх
Margin Right	30	рх
Margin Left	30	рх

Item	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Text Box		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Text Box. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Text Box. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Content		
Padding between content	рх	Provide the size (in pixels) of the padding between two pieces of content.
Offset Top	рх	Define the position the Content area starts (in pixels) from the top of the slide.
Margin Right	рх	Define the position the Content area ends (in pixels) from the right of the slide.
Margin Left	рх	Define the position the Content area starts (in pixels) from the left of the slide.

Quote Slide

Page Layout: Quote Slide				
Select Section Prev	view:			
None		•		
QUOTE				
Padding X	рх			
Padding Y	рх			
Height	рх			
Minimum Width	рх			
Тор	150 px			
Bottom	рх			
Left	295 px			
Right	70 px			
Text Alignment	Left	T		
ATTRIBUTE				

Padding X	рх	
Padding Y	рх	
Height	рх	
Minimum Width	рх	
Тор	рх	
Bottom	70 px	
Left	310 px	
Right	70 px	
Text Alignment	Right	•

ltem	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Quote		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Quote. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Quote. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Quote. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Quote. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.

Тор	рх	Define the position the Quote area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Quote area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Quote area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Quote area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Quote text. Note: in order to set the text alignment you must specify a Minimum Width.
Attribute		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Quote Attribute. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Quote Attribute. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Quote Attribute. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Quote Attribute. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.
Тор	рх	Define the position the Quote Attribute area starts (in pixels) from the top of the slide.
Bottom	рх	Define the position the Quote Attribute area ends (in pixels) from the bottom of the slide.
Left	рх	Define the position the Quote Attribute area starts (in pixels) from the left of the slide.
Right	рх	Define the position the Quote Attribute area ends (in pixels) from the right of the slide.
Text Alignment	Left, Right, Centre	Select the desired alignment for the Quote Attribute text. Note: in order to set the text alignment you must specify a Minimum Width.

Image Slide

Page Layout: Image Slide $>$				
Select Section Prev	iew:			
None		۳		
SLIDE TITLE				
Padding X	рх			
Padding Y	рх			
Height	рх			
Minimum Width	рх			
Тор	500 px			
Bottom	рх			
Left	50 px			
Right	рх			
Text Alignment	Left	•		
SLIDE SUBTITLE				
Padding X	рх			
Padding Y	рх			
Height	рх			
Minimum Width	рх			
Тор	550 px			

рх

рх

рх

۲

50

Left

Bottom

Left

Right

Text Alignment

Item	Value	Description
Select Slide Preview	Section Name	Select a Section to use when previewing these settings. This will allow you to view your colour and image choices made in the Section, along with the settings applied here.
Slide Title		
Padding X	рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Padding Y	рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Title. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
Height	рх	Provide the height (in pixels) to be allocated to the Title. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
Minimum Width	рх	Provide the minimum width (in pixels) for the Title. This defines the area allocated to the title, which will expand if the text entered is too long. This is used for centering and when background colours are used.

рх	Define the position the Title area starts (in pixels) from the top of the slide.
рх	Define the position the Title area ends (in pixels) from the bottom of the slide.
рх	Define the position the Title area starts (in pixels) from the left of the slide.
рх	Define the position the Title area ends (in pixels) from the right of the slide.
Left, Right, Centre	Select the desired alignment for the Title text. Note: in order to set the text alignment you must specify a Minimum Width.
itle	
рх	Provide the size (in pixels) of the horizontal padding (left & right) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
рх	Provide the size (in pixels) of the vertical padding (top & bottom) for the Subtitle. Padding is the space between a piece of content, such as text, and the edge of the area allocated to that content.
рх	Provide the height (in pixels) to be allocated to the Subtitle. If the text is larger than the height it will not be cut off, but the height will still define the size of the background colour, if a colour has been defined.
рх	Provide the minimum width (in pixels) for the Subtitle. This defines the area allocated to the text, which will expand if the text entered is too long. This is used for centering and when background colours are used.
рх	Define the position the Subtitle area starts (in pixels) from the top of the slide.
рх	Define the position the Subtitle area ends (in pixels) from the bottom of the slide.
рх	Define the position the Subtitle area starts (in pixels) from the left of the slide.
рх	Define the position the Subtitle area ends (in pixels) from the right of the slide.
Left, Right, Centre	Select the desired alignment for the Subtitle text. Note: in order to set the text alignment you must specify a Minimum Width.
	px px px px px keft, Right, Centre itle px px px px px px px px px px px px px

top